

# IZOBLOK GROUP

Specific requirements for suppliers of  
components and raw materials for use with  
the IATF 16949 standard



IZOBLOK

INNOVATIVE  
THINKING

Second edition: April 2023  
Effective date: 1 May 2023



# TABLE OF CONTENTS

<b>1. SCOPE .....</b>	<b>7</b>
<b>2. REFERENCES .....</b>	<b>7</b>
<b>3. TERMS AND DEFINITIONS .....</b>	<b>8</b>
<b>4. CONTEXT OF THE ORGANIZATION .....</b>	<b>10</b>
4.1. Understanding the organization and its context	10
4.2. Understanding of the needs and expectations of interested parties	10
4.3. Determination of the scope of the quality management system	10
4.3.1. Determination of the scope of the quality management system - supplement .....	10
4.3.2. Customer specific requirements .....	10
4.4. Quality management system and its processes	11
4.4.1 .....	11
4.4.1.1. Conformity of products and processes .....	11
4.4.1.2. Product safety .....	11
4.4.2 .....	11
<b>5. LEADERSHIP .....</b>	<b>11</b>
5.1. Leadership and commitment	11
5.1.1. General provisions .....	11
5.1.1.1. Corporate responsibility .....	11
5.1.1.2. Effectiveness and efficiency of the process .....	11
5.1.1.3. Owners of processes .....	11
5.1.2. Customer orientation .....	11
5.2. Policy	12
5.2.1. Establishment of the quality policy .....	12
5.2.2. Communication of the quality policy .....	12
5.3. Roles, responsibilities and authorizations in the organization	12
5.3.1. Roles, responsibilities and authorizations in the organization – supplement .....	12
5.3.2. Responsibility and authorizations regarding requirements for products and corrective actions .....	12
<b>6. PLANNING .....</b>	<b>12</b>
6.1. Activities related to risks and opportunities	12
6.1.1 .....	12
6.1.2 .....	12
6.1.2.1. Risk analysis .....	12
6.1.2.2. Preventive actions .....	12
6.1.2.3. Emergency plans .....	12



<b>6.2. Quality targets and planning of their achievement</b>	<b>13</b>
6.2.1.....	13
6.2.2.....	13
6.2.2.1. Quality targets and planning of their achievement - supplement.....	13
<b>6.3. Planning of changes</b>	<b>13</b>
<b>7. SUPPORT .....</b>	<b>13</b>
<b>7.1. Resources</b>	<b>13</b>
7.1.1. General provisions .....	13
7.1.2. Human resources .....	13
7.1.3. Infrastructure .....	13
7.1.3.1. Planning of plant, infrastructure and equipment .....	13
7.1.4. Process operating environment .....	13
7.1.4.1. Process operating environment - supplement .....	13
7.1.5. Resources for monitoring and measurements.....	14
7.1.5.1. General provisions .....	14
7.1.5.1.1. Measurement system analysis .....	14
7.1.5.2. Measurement traceability .....	14
7.1.5.2.1. Records regarding calibration / verification .....	14
7.1.5.3. Laboratory requirements.....	14
7.1.5.3.1. Internal laboratory .....	14
7.1.5.3.2. External laboratory.....	14
7.1.6. Organization knowledge .....	14
<b>7.2. Competences</b>	<b>14</b>
7.2.1. Competences - supplement .....	14
7.2.2. Competences – workplace training.....	14
7.2.3. Competences of the internal auditor.....	14
7.2.4. Competences of the second party auditor.....	14
<b>7.3. Awareness</b>	<b>15</b>
7.3.1. Awareness - supplement.....	15
7.3.2. Motivating employees and granting authorizations .....	15
<b>7.4. Communication</b>	<b>15</b>
<b>7.5. Documented information</b>	<b>15</b>
7.5.1. General provisions .....	15
7.5.1.1. Quality management system documentation .....	15
7.5.2. Development and updating.....	15
7.5.3. Supervision over documented information .....	15
7.5.3.1.....	15
7.5.3.2.....	15
7.5.3.2.1. Keeping records.....	15
7.5.3.2.2. Technical documentation .....	15
<b>8. OPERATIONAL ACTIONS .....</b>	<b>15</b>
<b>8.1. Planning and supervision over operational actions</b>	<b>16</b>



8.1.1.	Planning and supervision over operational actions – supplement .....	16
8.1.2.	Confidentiality .....	16
<b>8.2.</b>	<b>Requirements concerning products and services</b> .....	<b>16</b>
8.2.1.	Communication with the Customer .....	16
8.2.1.1.	Communication with the Customer - supplement .....	16
8.2.2.	Determination of requirements for products and services.....	16
8.2.2.1.	Determination of requirements for products and services – supplement .....	16
8.2.3.	Review of requirements for products and services .....	16
8.2.3.1.	.....	16
8.2.3.1.1.	Review of requirements for products and services – supplement.....	16
8.2.3.1.2.	Special characteristics determined by the Customer .....	16
8.2.3.1.3.	Production feasibility of the organization .....	16
8.2.3.2.	.....	17
8.2.4.	Changes in requirements concerning products and services .....	17
<b>8.3.</b>	<b>Design and development of products and services</b> .....	<b>17</b>
8.3.1.	General provisions .....	17
8.3.1.1.	Design and development of products and services – supplement .....	17
8.3.2.	Design and development planning.....	17
8.3.2.1.	Design and development planning – supplement .....	17
8.3.2.2.	Skills in the field of product design .....	17
8.3.2.3.	Development of the product with embedded software.....	17
8.3.3.	Input data for design and development.....	17
8.3.3.1.	Input data for product design .....	17
8.3.3.2.	Input data for design of the manufacturing process .....	17
8.3.3.3.	Special characteristics.....	17
8.3.4.	Supervision over design and development .....	17
8.3.4.1.	Monitoring .....	18
8.3.4.2.	Validation of design and development .....	18
8.3.4.3.	Program of prototypes.....	18
8.3.4.4.	Product approval process .....	18
8.3.5.	Output data from design and development .....	18
8.3.5.1.	Output data from design and development – supplement .....	18
8.3.5.2.	Output data from design of the manufacturing process .....	18
8.3.6.	Changes in design and development .....	18
8.3.6.1.	Changes in design and development - supplement.....	18
<b>8.4.</b>	<b>Supervision over externally supplied processes, products and services</b> .....	<b>18</b>
8.4.1.	General provisions .....	18
8.4.1.1.	General provisions - supplement .....	19
8.4.1.2.	Supplier selection process .....	19
8.4.1.3.	Suppliers designated by the Customer ("Directed-Buy").....	19
8.4.2.	Type and scope of supervision .....	19
8.4.2.1.	Type and scope of supervision - supplement .....	19
8.4.2.2.	Legal and regulatory requirements .....	19
8.4.2.3.	Development of the supplier quality management system .....	19
8.4.2.3.1.	Software connected with a product for automotive or a product with embedded software .....	19



8.4.2.4.	Monitoring of the supplier.....	19
8.4.2.4.1.	Audits of the second party .....	19
8.4.2.5.	Development of the supplier .....	20
8.4.3.	Information for external suppliers .....	20
8.4.3.1.	Information for external suppliers - supplement .....	20
<b>8.5.</b>	<b>Production and service delivery</b> .....	<b>20</b>
8.5.1.	Supervision of production and service delivery .....	20
8.5.1.1.	Control plan .....	20
8.5.1.2.	Standardized work – work instructions and visual standards .....	20
8.5.1.3.	Verification of setting operations .....	20
8.5.1.4.	Verification after production stoppage .....	20
8.5.1.5.	Complex Total Productive Maintenance (TPM).....	21
8.5.1.6.	Management of tooling, as well as production, test and control equipment .....	21
8.5.1.7.	Production planning.....	21
8.5.2.	Identification and traceability .....	21
8.5.2.1.	Identification and traceability - supplement .....	21
8.5.3.	Property belonging to Customers or suppliers .....	21
8.5.4.	Security.....	21
8.5.4.1.	Security - supplement.....	21
8.5.5.	Post-delivery actions .....	21
8.5.5.1.	Feedback from the site .....	21
8.5.5.2.	Service contract with the Customer .....	21
8.5.6.	Supervision of changes.....	21
8.5.6.1.	Supervision of changes - supplement .....	21
8.5.6.2.	Temporary changes in the supervision of the process .....	22
<b>8.6.</b>	<b>Release of products and services</b> .....	<b>22</b>
8.6.1.	Release of products and service - supplement .....	22
8.6.2.	Dimensional control and tests of functionality .....	22
8.6.3.	Visual aspects .....	22
8.6.4.	Verification and acceptance of compliance of products and services provided by external suppliers ....	22
8.6.5.	Compliance with legal and regulatory requirements.....	22
8.6.6.	Acceptance criteria.....	22
<b>8.7.</b>	<b>Supervision of incompatible outputs</b> .....	<b>22</b>
8.7.1.	.....	22
8.7.1.1.	Consent of the Customer to the waiver.....	22
8.7.1.2.	Supervision over a non-conforming product – the process specified by the Customer.....	23
8.7.1.3.	Supervision over a product with questionable status .....	23
8.7.1.4.	Supervision over a processed product.....	23
8.7.1.5.	Supervision over a repaired product .....	23
8.7.1.6.	Customer notification .....	23
8.7.1.7.	Handling of a non-conforming product .....	23
8.7.2.	.....	23
<b>9.</b>	<b>EVALUATION OF EFFECTS</b> .....	<b>23</b>
9.1.	Monitoring, measurement, analysis and assessment .....	23



9.1.1.	General provisions .....	23
9.1.1.1.	Monitoring and measurement of manufacturing processes .....	23
9.1.1.2.	Determination of statistical tools .....	23
9.1.1.3.	Application of statistical concepts .....	24
9.1.2.	Customer satisfaction.....	24
9.1.2.1.	Customer satisfaction - supplement .....	24
9.1.3.	Analysis and evaluation.....	24
9.1.3.1.	Prioritization .....	24
<b>9.2.</b>	<b>Internal audit</b> .....	<b>24</b>
9.2.1.	.....	24
9.2.2.	.....	24
9.2.2.1.	Program of internal audits.....	24
9.2.2.2.	Audit of the quality management system .....	24
9.2.2.3.	Audit of the manufacturing process .....	24
9.2.2.4.	Product audit .....	24
<b>9.3.</b>	<b>Management review</b> .....	<b>24</b>
9.3.1.	General provisions .....	24
9.3.1.1.	Management review - supplement .....	25
9.3.2.	Input data to the management review .....	25
9.3.2.1.	Input data to the management review – supplement.....	25
9.3.3.	Output data from the management review.....	25
9.3.3.1.	Output data from the management review – supplement .....	25
<b>10.</b>	<b>IMPROVEMENT .....</b>	<b>25</b>
<b>10.1.</b>	<b>General provisions</b> .....	<b>25</b>
<b>10.2.</b>	<b>Non-conformities and corrective actions</b> .....	<b>25</b>
10.2.1.	.....	25
10.2.2.	.....	25
10.2.3.	Troubleshooting .....	25
10.2.4.	Protection against errors.....	26
10.2.5.	Warranty management systems .....	26
10.2.6.	Customer complaints and analysis of market returns .....	27
<b>10.3.</b>	<b>Continuous improvement</b> .....	<b>27</b>
10.3.1.	Continuous improvement - supplement .....	28
<b>REVISION TABLE.....</b>	<b>.....</b>	<b>29</b>



## 1. SCOPE

**\*\*This document concerns external suppliers of products, processes and services for the automotive industry.**

This includes products and services that are affected by OEM Customer requirements such as, among others, manufacturing parts, sorting, rework, service packages, logistics service providers and calibration services (commonly referred to as "indirect suppliers"). It should be noted that distributors, who do not add any production value, must comply with sections 4.3 and 8.2.1 presented in this document.

Point 5.1.1.1, Corporate responsibility applies to all IZOBLOK suppliers.

The current version of IATF 16949 and ISO 9001, general conditions of IZOBLOK and this document define the basic quality system and commercial requirements for IZOBLOK. The requirements apply to the Supplier's entire production value stream, including processes of sub-suppliers. Suppliers are responsible for cascading all IZOBLOK requirements in the whole supply chain. This document contains detailed IZOBLOK requirements, including requirements that supplement the current version of IATF 16949 and the current version of ISO 9001.

English language version of this document is the official version for registration purposes by third parties. Any translations of this document are provided for information purposes only.

## 2. REFERENCES

The following reference documents are necessary to develop a quality system that meets the IZOBLOK standards.

Therefore, the supplier should have an up-to-date version of the following documents:

- Production Part Approval Process, PPAP or PPF according to VDA 2
- Statistical Process Control (SPC)
- Failure Mode and Effects Analysis (FMEA) – analysis of types and effects of possible errors
- Advanced Product Quality Planning (APQP) or VDA RGA
- Measurement System Analysis (MSA) or according to VDA 5
- Minimum Automotive Quality Management System Requirements for Sub-Tier Suppliers (MAQMSR)

The latest version of the above-mentioned reference documents is valid, unless IZOBLOK will define otherwise. Copies of all reference documents, apart from document specific to IZOBLOK, are available in



AIAG at the following address <http://www.iatfglobaloversight.org/iatfpublications> or International Automotive Task Force at <http://www.iatfglobaloversight.org/iatfpublications>.

### 3. TERMS AND DEFINITIONS

**APV** – Annual Purchase Value

**Verification of computing power** – verification methodology aimed at demonstrating that the supplier can meet the requirements concerning the planned quantity specified in the request for quotation (RFQ).

**Carry-Over Part** – a part that is currently acquired and approved by the PPAP documentation. This part will be used in the customers new program for additional volume.

**Direct supplier** – producers of raw materials, production or service parts and other finishing services used in the creation of the final product that is sent to IZOBLOK customers. These materials, parts or services are used to meet the requirements of IZOBLOK product drawings, material specification or purchase specification.

**DUNS® Number** – a nine-digit number assigned and maintained in order to identify unique business locations. DUNS numbers are assigned worldwide and they include American, Canadian and international organizations.

**Family parts** – groups of parts processed on the same production line with the use of the same inspection plan, PFMEA and process equipment. The parts differ only in the value of an end element. PPAP for the “family” is validated through the use of extreme values of the “family” specification in order to define the “family” boundary.

**ELV (end-of-life vehicles)** – each obtained component / raw material must meet the requirements of the Directive 2000/53/EC – “ELV Directive”.

**REACH** – regulation of the European Union adopted in order to improve the protection of human health and the environment against the risks that can be posed by chemicals, while enhancing the competitiveness of the EU chemicals industry.

**Conflict Minerals** – a supplier’s declaration that is related to raw materials or minerals, which originate from a specific part of the world, where the conflict occurs and affects the extraction and trade of these material, which are not used in the supplied products.

**FTQ - First Time Quality** – FTQ is defined as a measure of the number of items rejected in the production processes versus the total number of attempts. FTQ can be measured at any stage of the production





process, where parts are rejected (without normal parts for setting and control). FTQ is reported as defective parts per million (PPM).

**PD – Purchasing Department** – IZOBLOK department, which is obliged to purchase raw materials, components and services all around the world. PD is also responsible for ensuring the quality of delivered parts, materials and services to suppliers, including suppliers targeted at customers.

**MCA – Manufacturing Capability Assessment** – an assessment that helps to determine whether the production location can successfully produce component parts that meet the requirements of IZOBLOK. MCA helps in identification of gaps in the production process and required action that will eliminate or minimize these gaps.

**Problem Case** – a document that tracks problems with efficiency among suppliers. It affects the supplier scoreboard.

**PSW (part submission warrant)/ EMPB - PPAP / PPF** documentation summary form.

**R&R - Reproducibility and Repeatability** – a statistical tool that measures the amount of variation in a measurement system resulting from the measuring device and people making the measurement.

**Subcontractor** – suppliers of raw materials, production or service parts or other finishing services in the direct supplier's value stream.

**QE – Quality Engineer** – an IZOBLOK engineer, who is responsible for the management of current issues of production quality and continuous improvement.

**SQE – Supply Quality Engineer** – an IZOBLOK engineer, who is responsible for the management of current issues regarding the quality of supplies of components and raw materials, as well as continuous improvement of suppliers.

**8D process** – a process that solves problems in a methodical and analytical way. It identifies initial causes in order to eliminate the source(s) of the problem.

**8D report** – an eight-step document that describes the problem, adopted actions and corrective activities.

**Initial process testing (process capability)** – it is performed in order to measure the efficiency of a new or changed process, related to internal or customer requirements on the basis of a rational sampling plan in the course of production. IZOBLOK accepts a Cpk value at the level of 1.67 – for a serial/long-term process.



**MAQMSR** (Minimum Automotive Quality Management System Requirements) – minimum requirements for the quality management system in the automotive industry. It is possible to supplement ISO 9001 certification in order to prepare the IATF 16949 certification.

## 4. CONTEXT OF THE ORGANIZATION

### 4.1. Understanding the organization and its context

No additional IZOBLOK's requirements for this point.

### 4.2. Understanding of the needs and expectations of interested parties

No additional IZOBLOK's requirements for this point.

### 4.3. Determination of the scope of the quality management system

The supplier, who deliver to IZOBLOK, should have a Quality Management System certified by a third party in terms of compliance with ISO 9001 or/and IATF 16949 (it is also allowed to supplement the requirements of ISO 9001 with MAQMRS).

If the supplier does not have such a certificate, and deliveries apply to raw materials or other ingredients contained in products delivered by IZOBLOK to its customer, the supplier rating is automatically lowered and there is increased supervision over the suppliers. Material suppliers are responsible for the quality of delivered materials/components.

IZOBLOK has the ISO 14001 certificate. It strives to continuously optimize its processes. IZOBLOK recommends certification, training and self-improvement of suppliers in the field of ISO 14001.

#### 4.3.1. Determination of the scope of the quality management system - supplement

No additional IZOBLOK's requirements for this point.

#### 4.3.2. Customer specific requirements

Customer specific requirements will be assessed and taken into account in the field of the organization's Quality Management System. The supplier is obliged to comply with all specific OEM requirements determined in the International Automotive Task Force network: <http://www.iatfglobaloversight.org/oem-requirements/customer-specific-requirements/> If unknown, the supplier is responsible for requesting OEM information from the responsible purchaser / SQE / SQA.



#### 4.4. Quality management system and its processes

All raw materials and components delivered to IZOBLOK should comply with EU requirements (ELV Directive, REACH, Conflict Minerals) concerning the use of proprietary materials and materials with limited use.

##### 4.4.1.

No additional IZOBLOK's requirements for this point.

##### *4.4.1.1.Conformity of products and processes*

No additional IZOBLOK's requirements for this point.

##### *4.4.1.2.Product safety*

No additional IZOBLOK's requirements for this point.

##### 4.4.2.

No additional IZOBLOK's requirements for this point.

## 5. LEADERSHIP

### 5.1.Leadership and commitment

No additional IZOBLOK's requirements for this point.

#### 5.1.1. General provisions

No additional IZOBLOK's requirements for this point.

##### *5.1.1.1.Corporate responsibility*

The supplier must familiarize himself with the requirements concerning the social responsibility for suppliers and supplier code of conduct available at [www.izoblok.pl](http://www.izoblok.pl)

##### *5.1.1.2.Effectiveness and efficiency of the process*

No additional IZOBLOK's requirements for this point.

##### *5.1.1.3.Owners of processes*

No additional IZOBLOK's requirements for this point.

#### 5.1.2. Customer orientation

No additional IZOBLOK's requirements for this point.



## 5.2. Policy

### 5.2.1. Establishment of the quality policy

No additional IZOBLOK's requirements for this point.

### 5.2.2. Communication of the quality policy

No additional IZOBLOK's requirements for this point.

## 5.3. Roles, responsibilities and authorizations in the organization

No additional IZOBLOK's requirements for this point.

### 5.3.1. Roles, responsibilities and authorizations in the organization – supplement

No additional IZOBLOK's requirements for this point.

### 5.3.2. Responsibility and authorizations regarding requirements for products and corrective actions

No additional IZOBLOK's requirements for this point.

## 6. PLANNING

### 6.1. Activities related to risks and opportunities

#### 6.1.1.

No additional IZOBLOK's requirements for this point.

#### 6.1.2.

No additional IZOBLOK's requirements for this point.

##### *6.1.2.1. Risk analysis*

No additional IZOBLOK's requirements for this point.

##### *6.1.2.2. Preventive actions*

No additional IZOBLOK's requirements for this point.

##### *6.1.2.3. Emergency plans*

The supplier is obliged to have an emergency plan (in accordance with the IZOBLOK's requirements), which gives instruction in the event of production stoppage. The supplier is obliged to notify IZOBLOK about the failure and define corrective actions taken in order to ensure the product's delivery – within 24 hours from the moment of the occurrence of problems. Production stoppages may include (but they are not limited to) natural disasters, political conflicts, wars, capacity problems, quality issues, employee



strikes, planned stoppages or other events that prevent the realization of certain performance volumes or execution/sending of any APQP event or task that would affect the run of the program or its time (e.g. R@R or PPAP). The supplier is obliged to inform IZOBLOK about the recovery plan. Moreover, the supplier should take actions aimed at minimization of its impact on the production of IZOBLOK. The supplier will provide IZOBLOK with his emergency plans (on demand).

## 6.2. Quality targets and planning of their achievement

### 6.2.1.

No additional IZOBLOK's requirements for this point.

### 6.2.2.

No additional IZOBLOK's requirements for this point.

#### *6.2.2.1. Quality targets and planning of their achievement - supplement*

No additional IZOBLOK's requirements for this point.

## 6.3. Planning of changes

No additional IZOBLOK's requirements for this point.

# 7. SUPPORT

## 7.1. Resources

### 7.1.1. General provisions

No additional IZOBLOK's requirements for this point.

### 7.1.2. Human resources

No additional IZOBLOK's requirements for this point.

### 7.1.3. Infrastructure

No additional IZOBLOK's requirements for this point.

#### *7.1.3.1. Planning of plant, infrastructure and equipment*

No additional IZOBLOK's requirements for this point.

### 7.1.4. Process operating environment

No additional IZOBLOK's requirements for this point.

#### *7.1.4.1. Process operating environment - supplement*

No additional IZOBLOK's requirements for this point.



### 7.1.5. Resources for monitoring and measurements

No additional IZOBLOK's requirements for this point.

#### *7.1.5.1. General provisions*

No additional IZOBLOK's requirements for this point.

##### 7.1.5.1.1. Measurement system analysis

IZOBLOK requires MSA according to AIAG or VDA 5.

#### *7.1.5.2. Measurement traceability*

No additional IZOBLOK's requirements for this point.

##### 7.1.5.2.1. Records regarding calibration / verification

No additional IZOBLOK's requirements for this point.

#### *7.1.5.3. Laboratory requirements*

No additional IZOBLOK's requirements for this point.

##### 7.1.5.3.1. Internal laboratory

No additional IZOBLOK's requirements for this point.

##### 7.1.5.3.2. External laboratory

No additional IZOBLOK's requirements for this point.

### 7.1.6. Organization knowledge

No additional IZOBLOK's requirements for this point.

## 7.2. Competences

No additional IZOBLOK's requirements for this point.

### 7.2.1. Competences - supplement

No additional IZOBLOK's requirements for this point.

### 7.2.2. Competences – workplace training

No additional IZOBLOK's requirements for this point.

### 7.2.3. Competences of the internal auditor

No additional IZOBLOK's requirements for this point.

### 7.2.4. Competences of the second party auditor

No additional IZOBLOK's requirements for this point.



### 7.3. Awareness

No additional IZOBLOK's requirements for this point.

#### 7.3.1. Awareness - supplement

No additional IZOBLOK's requirements for this point.

#### 7.3.2. Motivating employees and granting authorizations

No additional IZOBLOK's requirements for this point.

### 7.4. Communication

No additional IZOBLOK's requirements for this point.

### 7.5. Documented information

#### 7.5.1. General provisions

No additional IZOBLOK's requirements for this point.

##### *7.5.1.1. Quality management system documentation*

No additional IZOBLOK's requirements for this point.

#### 7.5.2. Development and updating

No additional IZOBLOK's requirements for this point.

#### 7.5.3. Supervision over documented information

No additional IZOBLOK's requirements for this point.

##### *7.5.3.1.*

No additional IZOBLOK's requirements for this point.

##### *7.5.3.2.*

No additional IZOBLOK's requirements for this point.

##### *7.5.3.2.1. Keeping records*

No additional IZOBLOK's requirements for this point.

##### *7.5.3.2.2. Technical documentation*

No additional IZOBLOK's requirements for this point.

## 8. OPERATIONAL ACTIONS



## 8.1. Planning and supervision over operational actions

8.1.1. Planning and supervision over operational actions – supplement  
APQP according to IAIG or VDA RGA.

Suppliers are obliged to meet the deadlines resulting from APQP or VDA RGA, dates of changes and order timeliness.

### 8.1.2. Confidentiality

Suppliers are obliged to maintain the confidentiality of IZOBLOK products, as well as products and information of entities created in accordance with the IZOBLOK's contract documentation.

## 8.2. Requirements concerning products and services

### 8.2.1. Communication with the Customer

No additional IZOBLOK's requirements for this point.

#### *8.2.1.1. Communication with the Customer - supplement*

No additional IZOBLOK's requirements for this point.

### 8.2.2. Determination of requirements for products and services

No additional IZOBLOK's requirements for this point.

#### *8.2.2.1. Determination of requirements for products and services – supplement*

No additional IZOBLOK's requirements for this point.

### 8.2.3. Review of requirements for products and services

#### *8.2.3.1.*

No additional IZOBLOK's requirements for this point.

#### 8.2.3.1.1. Review of requirements for products and services – supplement

No additional IZOBLOK's requirements for this point

#### 8.2.3.1.2. Special characteristics determined by the Customer

The supplier shall use all specific symbols defined by IZOBLOK in control plans, drawings and FMEA. SQE will notify the Supplier about adequate requirements (including VDA 1).

#### 8.2.3.1.3. Production feasibility of the organization

Suppliers conduct production feasibility reviews and performance tests. The capacity analysis includes the identification of capacity limitations and risk assessment for IZOBLOK by the supplier. The capacity analysis is required as a part of the PPAP documentation. The full capacity analysis should be arranged with the Supplier and his sub-supplier – no later than on the day of the realization.





All suppliers should have appropriate process capacity with an additional safety margin of 15% - in relation to the contracted annual demand. If necessary, the seller should provide the logistics department of IZOBLOK S.A. information about the current process capacity.

#### 8.2.3.2.

No additional IZOBLOK's requirements for this point

#### 8.2.4. Changes in requirements concerning products and services

No additional IZOBLOK's requirements for this point

### 8.3. Design and development of products and services

#### 8.3.1. General provisions

##### *8.3.1.1. Design and development of products and services – supplement*

No additional IZOBLOK's requirements for this point

#### 8.3.2. Design and development planning

##### *8.3.2.1. Design and development planning – supplement*

The supplier will prepare FMEA and a control plan for all parts delivered to IZOBLOK. If the supplier is responsible for the design, he should prepare FMEA. FMEA should be prepared in accordance with the guidelines presented in FMEA Handbook – ed. 1 2019, AIAG + VDA.

##### *8.3.2.2. Skills in the field of product design*

No additional IZOBLOK's requirements for this point

##### *8.3.2.3. Development of the product with embedded software*

No additional IZOBLOK's requirements for this point

#### 8.3.3. Input data for design and development

##### *8.3.3.1. Input data for product design*

No additional IZOBLOK's requirements for this point

##### *8.3.3.2. Input data for design of the manufacturing process*

No additional IZOBLOK's requirements for this point

##### *8.3.3.3. Special characteristics*

Reference point - 8.2.3.1.2

#### 8.3.4. Supervision over design and development

No additional IZOBLOK's requirements for this point



#### *8.3.4.1. Monitoring*

No additional IZOBLOK's requirements for this point

#### *8.3.4.2. Validation of design and development*

No additional IZOBLOK's requirements for this point

#### *8.3.4.3. Program of prototypes*

The supplier is obliged to deliver prototype parts that meet geometric, quality, quantity and price requirements within the determined time. In the case of acceptance of prototype parts that do not meet the determined requirements, the supplier is obliged to repair or replace these parts immediately and cover all related costs.

#### *8.3.4.4. Product approval process*

It is acceptable to submit the documentation for approval with the use of a methodology in line with AIAG (PPAP) or VDA 2 (PPF). The supplier will follow current versions of the AIAG Manufacturing Part Approval Process (PPAP) or VDA 2 (PPF) instructions – levels of the submitted documentation are agreed between the supplier and SQA. The delivery of IZOBLOK raw materials and components used in serial production is not accepted without the prior receipt of a PSW (Part Submission Warrant) or an equivalent document required by the end user (approved by the Quality Department).

### 8.3.5. Output data from design and development

No additional IZOBLOK's requirements for this point

#### *8.3.5.1. Output data from design and development – supplement*

No additional IZOBLOK's requirements for this point

#### *8.3.5.2. Output data from design of the manufacturing process*

No additional IZOBLOK's requirements for this point

### 8.3.6. Changes in design and development

No additional IZOBLOK's requirements for this point

#### *8.3.6.1. Changes in design and development - supplement*

No additional IZOBLOK's requirements for this point

## 8.4. Supervision over externally supplied processes, products and services

### 8.4.1. General provisions

No additional IZOBLOK's requirements for this point



#### *8.4.1.1. General provisions - supplement*

No additional IZOBLOK's requirements for this point

#### *8.4.1.2. Supplier selection process*

The supplier is responsible for the quality of the delivered products and the quality of products delivered by sub-suppliers. The supplier shall conduct the supplier selection process and its evaluation – taking into account the production capacity of  $\pm 15\%$ , and (if necessary) present the obtained results to the customer.

#### *8.4.1.3. Suppliers designated by the Customer ('Directed-Buy')*

No additional IZOBLOK's requirements for this point

### 8.4.2. Type and scope of supervision

No additional IZOBLOK's requirements for this point

#### *8.4.2.1. Type and scope of supervision - supplement*

No additional IZOBLOK's requirements for this point

#### *8.4.2.2. Legal and regulatory requirements*

Suppliers will ensure that the products delivered to IZOBLOK meet all legal requirements applicable in the region of use (ELV, REACH, Conflict Minerals). The supplier will send to the International Material Data System (IMDS) data regarding chemical composition of his products. The supplier is responsible for the data transmitted in the IMDS – related to the products of his own sub-suppliers.

#### *8.4.2.3. Development of the supplier quality management system*

No additional IZOBLOK's requirements for this point

##### 8.4.2.3.1. Software connected with a product for automotive or a product with embedded software

No additional IZOBLOK's requirements for this point

#### *8.4.2.4. Monitoring of the supplier*

The supplier is obliged to monitor his sub-suppliers.

All costs of delayed shipments (caused by a delay from the supplier and his sub-suppliers and defective non-conforming products) will be transferred to the supplier.

##### 8.4.2.4.1. Audits of the second party

IZOBLOK reserves the right to carry out an audit according to VDA 6.3 at the supplier's location, where the purchased material / component is products, at a time previously agreed with suppliers.



#### *8.4.2.5. Development of the supplier*

No additional IZOBLOK's requirements for this point

#### **8.4.3. Information for external suppliers**

No additional IZOBLOK's requirements for this point

##### *8.4.3.1. Information for external suppliers - supplement*

No additional IZOBLOK's requirements for this point

### **8.5. Production and service delivery**

#### **8.5.1. Supervision of production and service delivery**

- For each new batch of delivered raw material – a document confirming the compliance of the batch of material – material certificate must be attached to the delivery.
- For each batch of delivered components – a document confirming the compliance of the batch of products – the quality certificate must be attached to the delivery.

IZOBLOK requires deliveries on time (100%) and in accordance with the order.

##### *8.5.1.1. Control plan*

All operations in this process must be taken into account when approving the PPAP documentation. They should be presented in the flowchart, control plan and PFMEA. The control plan should include (at least):

- Equipment used for control.
- Methods for checking special characteristics determined in PFMEA.
- Other additional information defined in PFMEA.
- Course of actions in the case of non-compliance (response plan).
- References to work instructions in operations that affect the product's compliance.
- The control plan should be reviewed and updated (if necessary).

Suppliers are required to follow the current FMEA manual FMEA should be reviewed and (if necessary) updated each time after submitting the complaint.

##### *8.5.1.2. Standardized work – work instructions and visual standards*

No additional IZOBLOK's requirements for this point

##### *8.5.1.3. Verification of setting operations*

No additional IZOBLOK's requirements for this point

##### *8.5.1.4. Verification after production stoppage*

No additional IZOBLOK's requirements for this point



*8.5.1.5. Complex Total Productive Maintenance (TPM)*

No additional IZOBLOK's requirements for this point

*8.5.1.6. Management of tooling, as well as production, test and control equipment*

No additional IZOBLOK's requirements for this point

*8.5.1.7. Production planning*

No additional IZOBLOK's requirements for this point

**8.5.2. Identification and traceability**

IZOBLOK requires that each purchased product should be identified in accordance with the requirements for a given product. This applies to both the adequate labeling of parts and the use of labels for each supplied container.

*8.5.2.1. Identification and traceability - supplement*

No additional IZOBLOK's requirements for this point

**8.5.3. Property belonging to Customers or suppliers**

No additional IZOBLOK's requirements for this point

**8.5.4. Security**

No additional IZOBLOK's requirements for this point

*8.5.4.1. Security - supplement*

No additional IZOBLOK's requirements for this point

**8.5.5. Post-delivery actions**

No additional IZOBLOK's requirements for this point

*8.5.5.1. Feedback from the site*

No additional IZOBLOK's requirements for this point

*8.5.5.2. Service contract with the Customer*

No additional IZOBLOK's requirements for this point

**8.5.6. Supervision of changes**

No additional IZOBLOK's requirements for this point

*8.5.6.1. Supervision of changes - supplement*

It is forbidden to introduce any changes to the process / product without a written consent of the personnel of the IZOBLOK's quality department. The change means the following action:



- material,
- subcontractor,
- location of the production site,
- other changes defined in the PPAP documentation, but not limited to the above-mentioned changes (according to the matrix – VDA 2).

#### *8.5.6.2. Temporary changes in the supervision of the process*

No additional IZOBLOK's requirements for this point

### 8.6. Release of products and services

No additional IZOBLOK's requirements for this point

#### 8.6.1. Release of products and service - supplement

No additional IZOBLOK's requirements for this point

#### 8.6.2. Dimensional control and tests of functionality

No additional IZOBLOK's requirements for this point

#### 8.6.3. Visual aspects

No additional IZOBLOK's requirements for this point

#### 8.6.4. Verification and acceptance of compliance of products and services provided by external suppliers

No additional IZOBLOK's requirements for this point

#### 8.6.5. Compliance with legal and regulatory requirements

No additional IZOBLOK's requirements for this point

#### 8.6.6. Acceptance criteria

No additional IZOBLOK's requirements for this point

### 8.7. Supervision of incompatible outputs

#### 8.7.1.

##### *8.7.1.1. Consent of the Customer to the waiver*

Products showing deviations from the condition approved by IZOBLOK may be sent to the Customer only after receiving prior information and a written confirmation/ e-mail message by the Purchasing / Quality Department. Such products should be clearly marked for easy identification.



*8.7.1.2. Supervision over a non-conforming product – the process specified by the Customer*

No additional IZOBLOK's requirements for this point

*8.7.1.3. Supervision over a product with questionable status*

No additional IZOBLOK's requirements for this point

*8.7.1.4. Supervision over a processed product*

No additional IZOBLOK's requirements for this point

*8.7.1.5. Supervision over a repaired product*

No additional IZOBLOK's requirements for this point

*8.7.1.6. Customer notification*

No additional IZOBLOK's requirements for this point

*8.7.1.7. Handling of a non-conforming product*

The requirements are described in point 8.7.1.2.

**8.7.2.**

No additional IZOBLOK's requirements for this point

## **9. EVALUATION OF EFFECTS**

### **9.1. Monitoring, measurement, analysis and assessment**

#### **9.1.1. General provisions**

No additional IZOBLOK's requirements for this point

*9.1.1.1. Monitoring and measurement of manufacturing processes*

Suppliers are obliged to maintain the process capability according to the end customers requirements (OEM).

*9.1.1.2. Determination of statistical tools*

Suppliers are obliged to keep records of measuring equipment, including:

- Equipment identification number along with the standard used for checking / calibration,
- Changes, including technical changes,
- Mode of operation – in the case of incorrect readings.

The supplier is obliged to follow the current MSA instructions.



*9.1.1.3.Application of statistical concepts*

No additional IZOBLOK's requirements for this point

9.1.2. Customer satisfaction

No additional IZOBLOK's requirements for this point

*9.1.2.1.Customer satisfaction - supplement*

No additional IZOBLOK's requirements for this point

9.1.3. Analysis and evaluation

No additional IZOBLOK's requirements for this point

*9.1.3.1.Prioritization*

No additional IZOBLOK's requirements for this point

9.2. Internal audit

No additional IZOBLOK's requirements for this point

9.2.1.

No additional IZOBLOK's requirements for this point

9.2.2.

No additional IZOBLOK's requirements for this point

*9.2.2.1.Program of internal audits*

No additional IZOBLOK's requirements for this point

*9.2.2.2.Audit of the quality management system*

No additional IZOBLOK's requirements for this point

*9.2.2.3.Audit of the manufacturing process*

IZOBLOK may require an audit of the production process demanded by the customer, e.g. modular audits, CQI audits.

*9.2.2.4.Product audit*

No additional IZOBLOK's requirements for this point

9.3. Management review

9.3.1. General provisions

No additional IZOBLOK's requirements for this point





*9.3.1.1. Management review - supplement*

No additional IZOBLOK's requirements for this point

9.3.2. Input data to the management review

No additional IZOBLOK's requirements for this point

*9.3.2.1. Input data to the management review – supplement*

No additional IZOBLOK's requirements for this point

9.3.3. Output data from the management review

No additional IZOBLOK's requirements for this point

*9.3.3.1. Output data from the management review – supplement*

No additional IZOBLOK's requirements for this point

## **10. IMPROVEMENT**

10.1. General provisions

No additional IZOBLOK's requirements for this point

10.2. Non-conformities and corrective actions

No additional IZOBLOK's requirements for this point

10.2.1.

No additional IZOBLOK's requirements for this point

10.2.2.

No additional IZOBLOK's requirements for this point

10.2.3. Troubleshooting

IZOBLOK requires that Suppliers should have appropriate resources and competences in order to solve problems in a proper way.

Reaction to the problem: Supplier will monitor and respond to all problematic cases presented by IZOBLOK. An initial problem response in the form of the 8D report is required within 24 hours from the receipt of the notification / complaint. The 8D report (containing root cause analysis, performed actions and implemented actions) should be prepared within 15 calendar days.

The closure of the 8D report (with the verification of implemented corrective actions) is required within 30 days from the date of submission of the problem case.



The 8D report and other quality documentation related to the complaint is required in Polish for Polish-speaking suppliers and/or in English for foreign suppliers.

All costs connected with quality and logistics complaints (if they are caused by the fault of the suppliers) will be assessed on the basis of Table 1 and directed to suppliers.

#### 10.2.4. Protection against errors

IZOBLOK SQE may conduct an additional review of quality documents in order to determine whether the controls are appropriate. As a result of this review, additional protections against errors may be required.

#### 10.2.5. Warranty management systems

IZOBLOK recommends the use of VDA Field Failure Analysis as one of the methods for the warranty management.

Table 1:

Type of cost	Unit reference cost	Comment
Administrative costs	150 €	This amount includes the following management actions: <ul style="list-style-type: none"> <li>▪ Time for initial analysis</li> <li>Time for the preparation of technical documentation in order to clarify the problem</li> <li>▪ Preparation of the delivery</li> <li>▪ FAR notification</li> <li>▪ Monitoring of sellers</li> <li>▪ 8D analysis report</li> <li>▪ Evaluation of the effectiveness of corrective actions</li> </ul>
Labor costs connected with sorting	30 €/h for each operator	The value results from the cost estimate
Labor costs connected with the reconstruction of the IZOBLOK line	30 €/h for each operator	
Labor costs connected with the management of non-compliant batches, parts in stock	30 €/h for each operator	
Scrapping of non-reusable parts		The cost of a part and its disposal may vary depending on the type of IZOBLOK's product.
Stoppage of IZOBLOK production lines		The cost may vary depending on the type of line, products and purchaser's plant – depending on the impact on the end customer.
Special transport to the end customer		The cost may vary for each special transport.



Replacement of parts (in 0 km)		The cost imposed by the end customer connected with the management of the replacement of defective parts that were found. Customers line. The cost may vary depending on the type of line and the end customers plant.
Stoppage of the end customers production line		The cost may vary depending on the type of line, products and the end customers plant.
Service campaign and campaign concerning the withdrawal of products from sale		<p>Actions taken by the end customer / purchaser or the approved third party in order to solve a critical quality problem concerning all potentially affected parts:</p> <ul style="list-style-type: none"> <li>▪ in a vehicle – before delivery to a dealer: service campaign</li> <li>▪ in the field: campaign concerning the withdrawal of products from sale</li> <li>▪ The cost may vary depending on the customer and the purchaser's product</li> </ul>
Special packing for shipping parts	Not applicable	The cost may vary for each transport.
Lack of appropriate shipping label	100 €	It covers every single delivery without appropriate identification.
Lack of shipping documentation	100 €	It covers every single delivery without appropriate identification.
Lack of correct labeling of the delivery – cartons or containers	25 € for each package	It applies to bins, containers or cartons that are not cleaned of old shipping labels.
Cost of shipping parts for analysis	The Seller is usually responsible for returning the part for analysis and charging the Purchaser for shipping costs. In all other cases, the Purchaser has the right to charge the Seller for shipping costs, which may vary depending on the type of product and transport conditions.	

### 10.2.6. Customer complaints and analysis of market returns

The requirements are described in point 8.7.1.2

### 10.3. Continuous improvement

IZOBLOK requires suppliers to implement the continuous quality improvement process. It is required to maintain indicators for:

- timely deliveries to the PD required in 100%, in accordance with the following criteria:

<i>Supplier Type</i>	<i>Range*</i>	<i>Target</i>
Components supplier	≤ 3 days	100%
Suppliers of EPP raw material and substrates for EPP raw materials production	≤ 1 day	100%



\*The listed ranges apply without exception to each supplier. Their length may be determined individually, depending on the geographical location of a given supplier.

- number of complaints received from the PD,
- number of defective products reported by the PD in relation to the number of delivered units – multiplied by 1,000,000 (PPM) – Target: 0 PPM.

#### 10.3.1. Continuous improvement - supplement

There are no specific IZOBLOK's requirements for this section.



## REVISION TABLE

<b>Approval date</b>	<b>Revised sections</b>	<b>Revision change</b>
2018-11-23	The entire document	Released
2020-08-05	10.2.5	Adding of additional requirements
2021-03-11	5.1.1.1	Adding of additional requirements
2023-04-17	10.2.6 and 10.3	Adding of additional requirements